

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 33,200 for **corba stub skeleton server buffer**. (0.25 seconds)**[ruby-talk:20385] Re: CORBA Ruby mapping**

I also agree that **stub/skeletons** need not be seen from developer. > > I don't claim that all developer of client or **server** should generate **stub/skeleton** ...

blade.nagaokaut.ac.jp/cgi-bin/scat.rb/ruby/ruby-talk/20385 - 13k - [Cached](#) - [Similar pages](#)

CORBA Program Development, Part 1 | Linux Journal

PushString.hh: **stub/skeleton** header. PushStringSK.cc: **stub/skeleton** code ... The BOA resides in a **CORBA server** and is responsible for initializing the ...

www2.linuxjournal.com/article/3201 - 39k - [Cached](#) - [Similar pages](#)

Distributed Java Programming with RMI and CORBA

The **stub** is a client proxy and the **skeleton** is a **server skeleton**. ... input.read(**buffer**,0,**buffer**.length); input.close(); } catch(Exception e) ...

java.sun.com/developer/technicalArticles/RMI/rmi_corba/ - 42k - [Cached](#) - [Similar pages](#)

DCOM and CORBA Side by Side, Step By Step, and Layer by Layer

In contrast, the client **stub** in **CORBA** is called the **stub** and the **server stub** is called the **skeleton**. Sometimes, the term "proxy" is also used to refer to a ...

research.microsoft.com/~ymwang/papers/HTML/DCOMnCORBA/S.html - 66k -

[Cached](#) - [Similar pages](#)

Delphi 5 Developer's Guide: Writing CORBA applications

The **stub** writes the arguments into a marshaling **buffer** and transmits the call in a structure to the remote object. The **server skeleton** unpacks this ...

info.borland.com/techpubs/delphi/delphi5/dg/corba.html - 64k - [Cached](#) - [Similar pages](#)

[capidl] strings and buffers -- help needed!

In the interface **skeleton** on the **server** side, storage for the type is reserved and managed by the **skeleton** code, which must also include **buffer-overflow** ...

www.eros-os.org/pipermail/capidl/2003-June/000084.html - 10k - [Cached](#) - [Similar pages](#)

[PPT] www.dre.vanderbilt.edu/~arvindk/talks/Arvind-MW-Sp...

File Format: Microsoft Powerpoint - [View as HTML](#)

Conditional Compilation; Optimize/**Stub skeleton** generation ... ~10 if conditions for a normal **CORBA** request; Improvements in both client and **server** side ...

[Similar pages](#)

PROPOSAL: The Marriage of CORBA-Programming with Tuxedo

The **server skeleton** could look like: public class intf_skel implements General_Skeleton

{ // ... static void entry_point(TPSVCINFO transb) { Tuxedo.**buffer** ...

www.ti5.tu-harburg.de/publication/1997/memo/Kreuz97a.html - 13k -

[Cached](#) - [Similar pages](#)

[PDF] Prototyping a CORBA based MMS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the Operating System. User Application. **skeleton**. **stub**. **CORBA** Object. User.




MMSClnt←InformationReport. Client Host. **Server** Host. MMSServer→Identify ...

cedric.cnam.fr/PUBLIS/RC301.pdf - [Similar pages](#)

[Paper] Inter-Process Communication (IPC): An Interpretive Conspectus

Common Object Request Broker architecture (**CORBA**) provides another approach to build ... The ORB's interface to the **server** is through IDL **skeleton**. ...
www.actapress.com/PDFViewer.aspx?paperId=24355 - [Similar pages](#)

Google Groups results for corba stub skeleton server buffer

-  **CORBA** Ruby mapping - comp.lang.ruby - Aug 26, 2001
 Arrays as return values without `alloc()` everytime? - comp.object.corba - Feb 29, 2004
 使用RMI和**CORBA**进行分布式java程序设计 - cn.architecture - Nov 17, 2006

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google